



Type Approval Certificate

This is to certify that the undernoted product(s) has/have been tested with satisfactory results in accordance with the relevant requirements of the Lloyd's Register Type Approval System.

Manufacturer	Seetru Ltd
Address	Hanover Place, Albion Dockside Estate, Bristol, BS1 6UT, United Kingdom
Type	Level Gauges
Description	Type (G31): Seeflex flat glass level gauges with self-closing pushbutton valves and hydraulic actuator with lever or pushbutton operation.
Trade Name	G211940, G211941, G211942, G211943, G211944, G170110, G170200
Application	Marine, Offshore and Industrial use as general purpose level gauge.
Ratings	maximum working pressure: 2.67 bar g temperature range: -35 to +80 °C maximum length: 9 m Nylon pipework approx. melting temperature: 160 °C
Other Conditions	<ol style="list-style-type: none">1. The level gauges are to be selected, installed and tested in accordance with the manufacturer's instructions and applicable Lloyd's Register's Rules and Regulations.2. If used for flammable fluids, than all seals are to be provided with non-combustible sealing material.3. Due care should be taken not to over stress the fittings when tightening the bolts.4. The approval does not cover the remote control of the gauge linked to the

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Johannes Wiegel

Engineering Piping/Decarbon - Senior Specialist to Lloyd's Register EMEA
A member of the Lloyd's Register group

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.



Type Approval Certificate

actuator or the actuator itself.

5. Installation is not allowed for tanks containing flammable liquids on passenger ships or yachts, or where otherwise prohibited by Lloyd's Register's Rules and Regulations or statutory Regulations.

This certificate is not valid for equipment, the design, ratings or operating parameters of which have been varied from the specimen tested. The manufacturer should notify Lloyd's Register EMEA of any modification or changes to the equipment in order to obtain a valid Certificate.

Previous Version: 93/00151(E8)

The Design Appraisal Document HPC 2361038/JW and its supplementary Type Approval Terms and Conditions form part of this Certificate.

71 Fenchurch Street, London, EC3M 4BS, United Kingdom

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.